

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6	(US-5635775-\$ or US-5687233-\$ or US-5831505-\$ or US-6428361-\$ or US-6525638-\$ or US-6650525-\$).did.	USPAT	OR	ON	2005/12/15 09:55
L2	4	(US-5635775-\$ or US-5687233-\$ or US-5831505-\$ or US-6428361-\$ or US-6525638-\$ or US-6650525-\$).did. and common same differential same mode	USPAT	OR	ON	2005/12/15 09:55
L3	3	(US-5635775-\$ or US-5687233-\$ or US-5831505-\$ or US-6428361-\$ or US-6525638-\$ or US-6650525-\$).did. and common same differential same mode same (case housing unit)	USPAT	OR	ON	2005/12/15 10:00
L4	1	"5,736,910".pn. and common same differential same mode same (case housing unit)	USPAT	OR	ON	2005/12/15 09:59
L5	1	(US-5635775-\$ or US-5687233-\$ or US-5831505-\$ or US-6428361-\$ or US-6525638-\$ or US-6650525-\$).did. and common same differential same mode same (case housing unit) same (pcb printed near2 board)	USPAT	OR	ON	2005/12/15 10:01
L7	1	(common and mode and differential and noise and (case housing) and (printed adj circuit pcb)).clm.	US-PGPUB	OR	ON	2005/12/15 12:35
L8	1	(common same mode same differential and noise and (case housing) and (printed adj circuit pcb)).clm.	US-PGPUB	OR	ON	2005/12/15 12:36
L9	1	(common same mode same differential same noise and (case housing) and (printed adj circuit pcb)).clm.	US-PGPUB	OR	ON	2005/12/15 12:36

L10	1	(common same mode same differential same noise same (case housing) and (printed adj circuit pcb)).clm.	US-PGPUB	OR	ON	2005/12/15 12:36
L11	1	(common same mode same differential same noise same (case housing) same (printed adj circuit pcb)).clm.	US-PGPUB	OR	ON	2005/12/15 12:36
S1	2	"20040114298"	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 10:54
S2	1	"91220528"	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 13:36
S3	17996	(Hsu, Han-Cheng).in.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 13:36
S4	75	(Hsu, Han-Cheng).in. and emi	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 13:37
S5	1	(Hsu, Han-Cheng).in. and emi same suppression	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 13:49
S6	216	common near noise same (suppress\$3 reduct\$3)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 13:55
S7	17379	differential with noise	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 13:51

S8	2076	differential with noise same (suppress\$3 reduct\$3)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 13:51
S9	1501	differential with noise with (suppress\$3 reduct\$3)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 13:52
S10	288	differential near2 noise with (suppress\$3 reduct\$3)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 13:52
S11	11	S6 and S10	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 13:54
S12	288	"20040114298"and S10	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 13:54
S13	2	"20040114298" and S10	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 13:54
S14	0	"20040114298" and S6	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 13:54
S15	988	common near2 noise same (suppress\$3 reduct\$3)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:39

S16	41	S15 and S10	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 13:59
S17	11	S15 and S10 and (pcb printed adj circuit adj board)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 14:01
S18	2	S15 and S10 and (pcb printed adj circuit adj board) and (pillar rod)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 14:02
S19	332	common near2 noise same choke	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:58
S20	149	common near2 noise near3 choke	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:40
S21	13	common near2 noise near choke	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:47
S22	3	differential near2 noise near choke	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:49
S23	11	differential near2 noise near2 choke	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:58

S24	0	S21 and S23	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:58
S25	50	differential near2 noise same choke	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:59
S26	35	S25 and S19	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:59
S27	31	S25 and S19 and (pcb printed near S2 circuit)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 16:00
S28	12	S25 and S19 and (pcb printed near S2 circuit near S2 board)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 16:00
S29	2200	174/260.ccls.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 10:54
S30	723	174/260.ccls. and pin	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 10:54.
S31	85	174/260.ccls. and pin same pcb	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 10:55

S32	87	174/260.ccls. and (pin pillar) same pcb	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 10:57
S33	325	174/260.ccls. and (pin pillar) same (pcb printed near2 board)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 10:58
S34	0	174/260.ccls. and (pin pillar) same (pcb printed near2 board) same ferrite	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:25
S35	6	174/260.ccls. and (pin pillar) same (pcb printed near2 board) same inductor	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:23
S36	5	174/260.ccls. and vertical same (pcb printed near2 board) same inductor	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:22
S37	18	174/260.ccls. and vertical same (pcb printed near2 board) same element	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:17
S38	13	174/260.ccls. and perpendicular same (pcb printed near2 board) same element	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:12
S39	16	361/772-776,809-810.ccls. and perpendicular same (pcb printed near2 board) same element	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:12

S40	30	361/772-776,809-810.ccls. and vertical same (pcb printed near2 board) same element	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:18
S41	2	361/772-776,809-810.ccls. and vertical same (pcb printed near2 board) same inductor	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:22
S42	3	361/772-776,809-810.ccls. and (pin pillar) same (pcb printed near2 board) same inductor	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:24
S43	0	361/772-776,809-810.ccls. and (pin pillar) same (pcb printed near2 board) same ferrite	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:27
S44	237	361/772-776,809-810.ccls. and (pin pillar) same (pcb printed near2 board) same mount\$3	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:28
S45	256	361/772-776,809-810.ccls. and (pin pillar post) same (pcb printed near2 board) same mount\$3	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 13:32
S46	84	361/772-776,809-810.ccls. and (pin pillar post) with Conduct\$3 same (pcb printed near2 board) same mount\$3	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 13:35
S47	41	(pin pillar post) with Conduct\$3 same (pcb printed near2 board) same mount\$3 same filter	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 13:40

S48	5	(pin pillar post) with Conduct\$3 same (pcb printed near2 board) same mount\$3 same filter same noise	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 13:46
S49	26	(pin pillar post) with Conduct\$3 same (pcb printed near2 board) same filter same noise	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 14:35
S50	0	(pin pillar post) with Conduct\$3 same (pcb printed near2 board) same filter same noise with common	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 14:35
S51	8	(pin pillar post) with Conduct\$3 same (pcb printed near2 board) same noise with common	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 14:36
S52	22	(pin pillar post) with Conduct\$3 same (pcb printed near2 board) and noise with common same differential	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 14:41
S53	9	(pin pillar post) with Conduct\$3 same (pcb printed near2 board) and noise with common same differential near2 mode	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 14:47
S54	9	(pin pillar post) with Conduct\$3 same (pcb printed near3 board) and noise with common same differential near2 mode	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 15:25
S55	179	(pcb printed near3 board) and noise with common same differential near2 mode with noise	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 15:26

S56	179	(pcb printed near3 board) and noise with common near2 mode same differential near2 mode with noise	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 15:27
S57	98	(pcb printed near3 board) and noise with common near2 mode same differential near2 mode with noise and (pin pillar post)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 15:28
S58	24	(pcb printed near3 board) same noise with common near2 mode same differential near2 mode with noise and (pin pillar post)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 15:28
S59	4	(pcb printed near3 board) same noise with common near2 mode same differential near2 mode with noise same (pin pillar post)	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 15:28